




RIGHT MOVE STORAGE

RIFLE, COLORADO

PERMIT SUBMITTAL - 11/05/25



rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335



RIGHT MOVE STORAGE
1453 AIRPORT ROAD
RIFLE, COLORADO

COVER

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.

A0.0



rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335



RIGHT MOVE STORAGE

1453 AIRPORT ROAD
RIFLE, COLORADO

MAIN LEVEL LIFE
SAFETY PLAN

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.

A0.2

BUILDING CODE ANALYSIS

OCCUPANCY TYPES:

NON-SEPARATED USES: S-1, B

GROSS FLOOR AREA

MAIN LEVEL = 13,300 SF

OCCUPANT LOAD CALCULATION:

BUSINESS = 100 GROSS

400 SF / 100 = 4 OCCUPANTS

WAREHOUSE = 500 GROSS

12,900 SF / 500 = 26 OCCUPANTS

TOTAL = 30 OCCUPANTS

CONSTRUCTION TYPE:

CONSTRUCTION TYPE VB

AUTOMATIC FIRE SUPPRESSION SYSTEM:

PROVIDED NFPA 13 PER SECTIONS 903.2 and 903.3.1.1

EXIT TRAVEL DISTANCE:

FOR GROUP S-1 OCCUPANCY (MOST RESTRICTIVE): 250 FT.
(*WITH SPRINKLER SYSTEM, IBC TABLE 1017.2)

DEAD END CORRIDOR:

FOR GROUP B AND S-1 OCCUPANCIES: 50 FT.
(*WITH SPRINKLER SYSTEM, IBC 1020.5 EXC. 2)

NO MAXIMUM WHERE LENGTH IS LESS THAN 2.5 TIMES
THE LEAST WIDTH

PLUMBING FIXTURE CALCULATIONS (PER 2015 IPC, TABLE 403):

OCCUPANCY DETERMINING PLUMBING FIXTURE REQUIREMENTS:
B = 4 OCC (2 EACH GENDER)

S-1 = NO PUBLIC TOILET FACILITIES REQUIRED PER IPC 403.3 EXCEPTION 2. NO
SEATING OR WORKSTATIONS TO BE PROVIDED, STORAGE INTENDED FOR QUICK
TENANT USE ONLY

MINIMUM REQUIRED PLUMBING FIXTURES (FOR BUSINESS OCCUPANCY):

WATER CLOSETS
SINGLE OCCUPANCY PROVIDED PER IPC 403.2 EXCEPTION 2. OCCUPANT LOAD UNDER 15

LAVATORIES
SINGLE OCCUPANCY PROVIDED PER IPC 403.2 EXCEPTION 2. OCCUPANT LOAD UNDER 15

DRINKING FOUNTAINS
NOT REQUIRED FOR OCCUPANT LOADS UNDER 15 PER IPC 410.2

SERVICE SINK
NOT REQUIRED PER IPC 403.1 EXCEPTION E. OCCUPANT LOAD UNDER 15. ONE IS PROVIDED

BUILDING CODE:

2015 INTERNATIONAL BUILDING CODE
2015 INTERNATIONAL PLUMBING CODE
2015 INTERNATIONAL MECHANICAL CODE
2015 INTERNATIONAL FUEL GAS CODE
2015 INTERNATIONAL FIRE CODE
2015 NATIONAL ELECTRIC CODE
2009 INTERNATIONAL ENERGY CONSERVATION CODE
ICC/ANSI A117.1, 2009

2009 IECC ENERGY CODE COMPLIANCE (ZONE 5):

SEE COMCHECK FOR COMPLIANCE CALCULATION

WALL INSULATION: MIN R-13

ROOF INSULATION: MIN R-21ci w/ R-5 THERMAL BLOCKS


FIXED WINDOWS: MAX 0.55 U-FACTOR, MAX 0.40 SHGC




GLASS SWING ENTRANCE DOOR: MAX 0.80 U-FACTOR

INSULATED SWING DOORS: MAX 0.70 U-FACTOR

FULLY ACCESSIBLE STORAGE UNIT

- A PULL MUST BE INSTALLED ON THE DOOR EXTERIOR NO LOWER THAN 15" AND NO HIGHER THAN 48"
- PULL MUST HAVE A LOOP LARGE ENOUGH FOR A FIST TO FIT INTO
- A NYLON ROPE MUST BE INSTALLED ON THE BOTTOM BAR WHICH HANGS 15" - 48" INCHES WHEN DOOR IS OPEN
- ROPE MUST ALSO CONTAIN A LOOP LARGE ENOUGH TO FIT A FIST AND REPLACES THE TRADITIONAL ROPE
- AN ACCESSIBILITY PLAQUE WITH BRAILLE MUST BE CLEARLY DISPLAYED OUTSIDE OF UNIT
- DOOR MUST BE TENSIONED AT 5LBS. MAXIMUM FORCE AS IT PERTAINS TO THE CONTINUOUS APPLICATION OF FORCE NECESSARY TO FULLY OPEN A DOOR, NOT THE INITIAL FORCE NEEDED TO OVERCOME THE INERTIA OF THE DOOR.





GENERAL NOTES

- DIMENSIONS GIVEN ARE COMPLIANT WITH ANSI A117.1-2009.
- NOT ALL FIXTURES AND DEVICES INDICATED MAY BE USED IN THE PROJECT.
- INSTALL GRAB BARS TO WITHSTAND A DOWNWARD LOAD OF 250 LBF WHEN TESTED ACCORDING TO METHODS IN ASTM F-446.
- ACCESSORIES IN BATHING AREAS THAT PROJECT MORE THAN 1" BEYOND FINISHED SURFACES SHALL BE INSTALLED TO WITHSTAND A DOWNWARD LOAD OF 250 LBF WHEN TESTED ACCORDING TO METHODS IN ASTM F-446.
- MOUNTING HEIGHTS INDICATED MAY BE SUPERCEDED BY MORE SPECIFIC INFORMATION ELSEWHERE IN THE DOCUMENTS.
- ALL APPLIANCES AND PLUMBING FIXTURES MUST COMPLY WITH APPLICABLE ANSI AND ADA REQUIREMENTS.
- DOOR THRESHOLDS MUST HAVE A MAXIMUM HEIGHT OF 1/2" WITH A 1:2 BEVEL.
- ALL ACCESSIBLE SINKS SHALL HAVE A MAXIMUM HEIGHT OF 34" TO THE RIM OR COUNTER (WHICHEVER IS HIGHER) AND PROVIDE A 27" MINIMUM HIGH KNEE SPACE.
- PROVIDE AND INSTALL BLOCKING / REINFORCEMENT FOR ALL ACCESSORIES PER MANUFACTURER'S INSTRUCTIONS.



ROSENFELD
DESIGN

rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335



STATE OF COLORADO
DAVID J. ROSENFELD
401732
LICENSED ARCHITECT

RIGHT MOVE STORAGE

1453 AIRPORT ROAD
RIFLE, COLORADO

ANSI TYPICALS

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.


A0.3

ANSI A117.1 - 2009 TYPICAL MOUNTING DIMENSIONS


1/2" = 1'-0"

PARTIAL EXISTING CONDITIONS SURVEY

LOT 2, SLAPPEY MINOR SUBDIVISION
RECORDED APRIL 9, 1999 AS RECEPTION NO. 543129
COUNTY OF GARFIELD, STATE OF COLORADO




VICINITY MAP
SCALE 1" = 2,000'




BOUNDARY MAP
SCALE 1" = 100'

LINE TABLE			LINE TABLE		
LINE NO.	BEARING	DISTANCE	LINE NO.	BEARING	DISTANCE
L1	N86°32'47"W	44.22'	L7	N02°37'16"W	77.19'
L2	S88°44'31"W	79.15'	L8	N12°49'48"W	56.11'
L3	N85°08'37"W	96.32'	L9	N03°52'24"W	114.28'
L4	S85°45'03"W	20.12'	L10	N00°40'05"W	108.15'
L5	S69°29'40"W	17.56'			
L6	N02°37'16"W	11.62'			



LEGEND	
LINE	
BOUNDARY LINE	---
BOUNDARY ADJOINER	---
FENCE LINE	---
SETBACK	---
EASEMENT LINE	---
SECTION LINE	---
GAS LINE	---
COMMUNICATIONS	---
SEWER	---
ELECTRIC	---
WATER	---
MONUMENT DESCRIPTIONS	
FOUND MONUMENT AS SHOWN HEREON	
FOUND NO. 5 REBAR WITH 1.5" ALUMINUM CAP, L.S. NO. 38089	
FOUND NO. 5 REBAR WITH 1.25" YELLOW PLASTIC CAP, L.S. NO. 36572	



PROPERTY DESCRIPTION

LOT 2, AS DESCRIBED ON THE SLAPPEY MINOR SUBDIVISION RECORDED APRIL 9, 1999 AS RECEPTION 543129 IN THE GARFIELD COUNTY CLERK AND RECORDER'S OFFICE.

NOTES:

- 1) THIS PROPERTY IS SUBJECT TO RESERVATIONS, RESTRICTIONS, COVENANTS, SETBACKS AND EASEMENTS OF RECORD, OR IN PLACE. THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A TITLE COMMITMENT THEREFORE, EXCEPTIONS TO TITLE THAT MAY AFFECT THE SUBJECT PROPERTY HAVE NOT BEEN RESEARCHED BY DRAKE CONSULTING, INC.
- 2) THE DATE OF THIS SURVEY WAS JULY 28, 2025.
- 3) BASIS OF BEARINGS FOR THIS SURVEY IS A BEARING OF S00°29'16"E BETWEEN THE NORTHEAST CORNER OF LOT 2, A P.K. NAIL WITH A BRASS DISK, L.S. 10871, FOUND IN PLACE AND THE NORTHWEST CORNER OF LOT 4 OF THE B.T.E. MINOR SUBDIVISION PER RECEPTION NO. 513038, A 1.5" ALUMINUM CAP, L.S. 38089 FOUND IN PLACE. BEARINGS ARE BASED ON THE SLAPPEY MINOR SUBDIVISION AS RECORDED APRIL 9, 1999 AS RECEPTION NO. 543129.
- 4) UNITS OF MEASURE FOR ALL DIMENSIONS SHOWN HEREON IS U.S. SURVEY FEET.
- 5) THIS SURVEY IS BASED ON SPECIAL WARRANTY DEED RECORDED JANUARY 21, 1999 AS RECEPTION NO. 539122 AND SLAPPEY MINOR SUBDIVISION RECORDED APRIL 9, 1999 AS RECEPTION NO. 543129 IN THE GARFIELD COUNTY CLERK AND RECORDER'S OFFICE, ALIGN SURVEYING, LLC'S ALTA/NSPS LAND TITLE SURVEY DATED OCTOBER 27, 2024 JOB NO. 3054024, AND CORNERS FOUND IN PLACE.
- 6) ELEVATIONS ARE ASSUMED BASED ON THE NORTHEAST CORNER OF THE SUBDIVISION BOUNDARY, LOT 1, BEING A NO. 5 REBAR, ELEVATION 5339.41'. CONTOUR INTERVALS EQUAL 1 FOOT.
- 7) THIS PROPERTY IS ZONED AIRPORT LIGHT INDUSTRIAL (A-LI) PER ZONE DISTRICT MAP OF THE CITY OF RIFLE AMENDED NOVEMBER 18, 2015. SETBACKS ARE AS FOLLOWS:
FRONT (LOCAL): 15'
SIDE YARD: 10'
REAR YARD: 15'
- 8) UTILITIES AND EXISTING BUILDINGS HAVE BEEN SHOWN PER ALIGN SURVEYING, LLC'S ALTA/NSPS LAND TITLE SURVEY DATED OCTOBER 27, 2024 JOB NO. 3054024.

SURVEY STATEMENT

I, TRAVIS J. KAISER, DO HEREBY STATE THAT THIS EXISTING CONDITIONS SURVEY WAS PREPARED BY DRAKE CONSULTING, INC. FOR CALIBER.

I FURTHER STATE THAT THE IMPROVEMENTS ON THE ABOVE DESCRIBED PARCEL ON THIS DATE, JULY 28, 2025, EXCEPT UTILITY CONNECTIONS, ARE ENTIRELY WITHIN THE BOUNDARIES OF THE PARCEL, EXCEPT AS SHOWN, THAT THERE ARE NO ENCROACHMENTS UPON THE DESCRIBED PREMISES BY IMPROVEMENTS ON ANY ADJOINING PREMISES, EXCEPT AS INDICATED, AND THAT THERE IS NO APPARENT EVIDENCE OR SIGN OF ANY EASEMENT CROSSING OR BURDENING ANY PART OF SAID PARCEL, EXCEPT AS NOTED. I FURTHER STATE THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A TITLE COMMITMENT, THEREFORE, ANY EXCEPTIONS THAT MAY AFFECT THE SUBJECT PROPERTY HAVE NOT BEEN RESEARCHED BY DRAKE CONSULTING, INC.

PRELIMINARY

TRAVIS J. KAISER, FOR REVIEW
COLORADO P.L.S. NO. 38294
FOR, AND ON BEHALF OF DRAKE CONSULTING, INC.
08/14/2025

Drake Consulting, Inc.

Land Surveying
PO Box 709 Rifle, CO 81650
Phone 970-987-1389
DrakeConsultingInc.com

Drawn By:	ARK/JG	NO.	Date	Revision	By	Project NO.
Checked By:	TJK					250052
Date:	08/13/2025					
Computer File:	052 EX CON					
CALIBER PARTIAL EXISTING CONDITIONS SURVEY 1453 AIRPORT ROAD, RIFLE, CO 81650						1 OF 1

Rifle, Colorado



Vicinity Map

Construction of interior storage facility with vehicle storage awning and associate grading, drainage, and utility improvements.




Jeff Simonson, P.E. 0026152

8901 E Mountain View Road, #150
Scottsdale, AZ 85258

Jeff Simonson JeffS@sgm-inc.com (970)384-9005

Preliminary Set
September 2025

Sheet Number	Sheet Title
1	Cover
2	General Notes
3	Utility General Notes
4	Legend & Abbreviations
5	Existing Conditions Map
6	Site Plan
7	Grading & Drainage Plan
8	E&S Control Plan
9	E&S Control Details
10	Utility Plan
11	Utility Details (1)
12	Utility Details (2)



Right Move Storage

Rifle, Colorado

[illegible]

Project Milestone: PRELIMINARY NOT FOR CONSTRUCTION

Job No.	2025-401.001	
Drawn by:	AY	
Print Date:	9.26.2025	
QC:	XX	PE: JSS
File:	Right Move- Cover	

Title:

Cover




100

Dwg No.

1

Of: 12

LOT 2, SLAPPEY MINOR SUBDIVISION
RECORDED APRIL 9, 1999 AS RECEPTION NO. 543129
COUNTY OF GARFIELD, STATE OF COLORADO



BY DRAKE CONSULTING, INC.
PRELIMINARY
FOR REVIEW
TRAVIS J. KAISER,
COLORADO P.L.S. NO. 38294
FOR, AND ON BEHALF OF DRAKE CONSULTING, INC.
08/14/2025

LINE TABLE			LINE TABLE		
LINE NO.	BEARING	DISTANCE	LINE NO.	BEARING	DISTANCE
1.1	N86°32'47"W	44.22'	L7	N02°37'16"W	77.19'
1.2	S88°44'31"W	79.15'	1.8	N12°49'48"W	56.11'
1.3	N85°08'37"W	96.32'	L9	N01°52'24"W	114.28'
1.4	S85°45'03"W	20.12'	L10	N00°40'05"W	108.15'
1.5	S60°29'40"W	17.56'			
1.6	N02°37'16"W	11.62'			


NOTICE: ACCORDING TO COLORADO LAW, YOU **MUST** COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE OF THE CERTIFICATION SHOWN HEREON.

Drake Consulting, Inc.
Land Surveying
PO Box 709 Rifle, CO 81650
Phone 970-987-1389
DrakeConsultingInc.com

Drawn By: ARK/JG	NO.	Date	Revision	By	CALIBER PARTIAL EXISTING CONDITIONS SURVEY 1453 AIRPORT ROAD, RIFLE, CO 81650	Project NO. 250052
Checked By: TJK						
Date: 08/13/2025						
Computer File: 052 EX CON						1 OF 1



I:\2025\2025-401-ModStorage\001-Civil\H-Dwgs\Civil\PS-SheetSet\Right Move-Site Plan.dwg Plotted: 9/26/2025 1:32 PM By: Andrew Young



ROSENFELD
DESIGN

rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335

STATE OF COLORADO
DAVID J.
ROSENFELD
401732
LICENSED ARCHITECT

RIGHT MOVE STORAGE

1453 AIRPORT ROAD
RIFLE, COLORADO


ARCHITECTURAL
SITE PLAN

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.

A1.1



GENERAL NOTES

1) SEE CIVIL DRAWINGS FOR EXTERIOR GRADING AND DRAINAGE INFORMATION

2) DOWNSPOUTS TO DAYLIGHT AT GRADE. PROVIDE SPLASH BLOCKS

3) ALL DIMENSIONS ARE TO FACE OF STUD UNLESS NOTED OTHERWISE

4) SEE PRE ENGINEERED METAL BUILDING DRAWINGS FOR ADDITIONAL INFORMATION

5) SEAL ALL PLUMBING PENETRATIONS THROUGH SLAB WITH GASKET TO CREATE WATERPROOF SEAL AT CONCRETE. PROVIDE UNDERSLAB MEMBRANE INCORPORATED GASKET/SEAL AT ALL PLUMBING PENETRATIONS

6) ALL FREESTANDING FURNITURE AND DECORATIVE LIGHT FIXTURES TO BE PROVIDED BY OWNER

7) SEE ENLARGED FLOOR PLANS AND ELEVATIONS AT ANSI RESTROOM

8) SEE A0.3 FOR ANSI TYPICAL MOUNTING HEIGHTS

ROSENFELD
DESIGN

rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335



RIGHT MOVE STORAGE

1453 AIRPORT ROAD
RIFLE, COLORADO

ROOF PLAN

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.

A2.2

1

ROOF PLAN

1/8" = 1'-0"

NORTH

RIGHT MOVE STORAGE
1453 AIRPORT ROAD
RIFLE, COLORADO





EXTERIOR ELEVATIONS


ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025


SHEET NO.

A3.1







5 WALL SECTION AT RAKE
1/2" = 1'-0"




4 WALL SECTION AT EAVE
1/2" = 1'-0"




3 BUILDING SECTION C
1/8" = 1'-0"




2 BUILDING SECTION B
1/8" = 1'-0"




1 BUILDING SECTION A
1/8" = 1'-0"




5 RESTROOM WEST ELEVATION 1/2" = 1'-0"
4 RESTROOM SOUTH ELEVATION 1/2" = 1'-0"
3 RESTROOM EAST ELEVATION 1/2" = 1'-0"
2 RESTROOM NORTH ELEVATION 1/2" = 1'-0"



9 CUSTODIAN WEST ELEV 1/2" = 1'-0"
8 CUSTODIAN SOUTH ELEV 1/2" = 1'-0"



7 CUSTODIAN EAST ELEV 1/2" = 1'-0"
6 CUSTODIAN NORTH ELEV 1/2" = 1'-0"




1 OFFICE ENLARGED FLOOR PLAN 1/2" = 1'-0"



rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335



RIGHT MOVE STORAGE

1453 AIRPORT ROAD
RIFLE, COLORADO


ENLARGED PLANS & ELEVATIONS

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.

A6.1



GENERAL NOTES

1) SEE CIVIL DRAWINGS FOR EXTERIOR GRADING AND DRAINAGE INFORMATION

2) DOWNSPOUTS TO DAYLIGHT AT GRADE. PROVIDE SPLASH BLOCKS

3) ALL DIMENSIONS ARE TO FACE OF STUD UNLESS NOTED OTHERWISE

4) SEE PRE ENGINEERED METAL BUILDING DRAWINGS FOR ADDITIONAL INFORMATION

5) SEAL ALL PLUMBING PENETRATIONS THROUGH SLAB WITH GASKET TO CREATE WATERPROOF SEAL AT CONCRETE. PROVIDE UNDERSLAB MEMBRANE INCORPORATED GASKET/SEAL AT ALL PLUMBING PENETRATIONS

6) ALL FREESTANDING FURNITURE AND DECORATIVE LIGHT FIXTURES TO BE PROVIDED BY OWNER

7) SEE ENLARGED FLOOR PLANS AND ELEVATIONS AT ANSI RESTROOM

8) SEE A0.3 FOR ANSI TYPICAL MOUNTING HEIGHTS



rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335



RIGHT MOVE STORAGE

1453 AIRPORT ROAD
RIFLE, COLORADO

MAIN LEVEL
REFLECTED CEILING
PLAN

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.

A7.1

1

MAIN LEVEL REFLECTED CEILING PLAN


1/8" = 1'-0"

NORTH

4

WINDOW JAMB DETAIL


3" = 1'-0"



3

WINDOW SILL DETAIL


3" = 1'-0"



2

DOOR HEAD DETAIL


3" = 1'-0"



1

DOOR JAMB DETAIL


3" = 1'-0"



5

WINDOW HEAD DETAIL

3" = 1'-0"



WINDOW SCHEDULE						
NUMBER	WINDOW SIZE		HEAD HEIGHT	OPERATION	OPENING	COMMENTS
	WIDTH	HEIGHT				
W1	5'-0"	5'-0"	7'-0"	FIXED	25 SF	MAX 0.55 U-FACTOR, MAX 0.40 SHGC
W2	5'-0"	5'-0"	7'-0"	FIXED	25 SF	MAX 0.55 U-FACTOR, MAX 0.40 SHGC
W3	5'-0"	5'-0"	7'-0"	FIXED	25 SF	MAX 0.55 U-FACTOR, MAX 0.40 SHGC

SWING DOOR SCHEDULE					
NUMBER	DOOR		MATERIAL	OPENING	COMMENTS
	WIDTH	HEIGHT			
100 A	3'-0"	7'-0"	21 SF		FULL LITE COMMERCIAL GRADE GLASS DOOR BY GC, MAX U-FACTOR 0.80
100 B	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
101 A	3'-0"	7'-0"	21 SF		SOLID CORE DOOR BY GC
103 A	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
104 A	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
104 B	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
104 C	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
104 D	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
104 E	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
104 F	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER
104 G	3'-0"	7'-0"	21 SF		DOOR BY PEMB SUPPLIER



rosenfeld-design.com

81 CRESCENT PLACE
GLENWOOD SPRINGS
COLORADO, 81601
TEL: 719.439.3335



RIGHT MOVE STORAGE

1453 AIRPORT ROAD
RIFLE, COLORADO

DOOR AND WINDOW SCHEDULES AND DETAILS

ISSUE:	DATE:
PERMIT	10/28/25

JOB NO. 1025

SHEET NO.

A10.1